

Pendant stations


PLB Series pendant stations for control circuits

Double row IP65



TECHNO-LIFTING EQUIPMENT

	N° PUSH BUTTONS	DESCRIPTION	CODE	WEIGHT gr
	2+2	For single-speed motor control 2 Mechanically interlocked between pairs + 1 Start/Alarm + N° 1 Emergency stop EN ISO 13850 mushroom Ø 30 turn to release	PLB04	560
	2+2	For two-speeds motor control 2 Mechanically interlocked between pairs + 1 Start/Alarm + N° 1 Emergency stop EN ISO 13850 mushroom Ø 30 turn to release	PLB04D2	590
	4+2	For single-speed motor control 4 Mechanically interlocked between pairs + 1 Start/Alarm + N° 1 Emergency stop EN ISO 13850 mushroom Ø 30 turn to release	PLB06	560
	4+2	For two-speeds motor control 4 Mechanically interlocked between pairs + 1 Start/Alarm + N° 1 Emergency stop EN ISO 13850 mushroom Ø 30 turn to release	PLB06D2 PLB06D4	690 720
	6+2	For single-speed motor control 6 Mechanically interlocked between pairs + 1 Start/Alarm + N° 1 Emergency stop EN ISO 13850 mushroom Ø 30 turn to release	PLB08	840
	6+2	For two-speeds motor control 6 Mechanically interlocked between pairs + 1 Start/Alarm + N° 1 Emergency stop EN ISO 13850 mushroom Ø 30 turn to release	PLB08D2 PLB08D4 PLB08D6	870 900 1.030
	8+2	For single-speed motor control N° mechanically interlocked between pairs	PLB10	1.150
	10+2	8	PLB12	1.270
	12+2	10 12	PLB14	1.390



DIMENSIONS

N° PUSH BUTTONS	CODE	Amm	Bmm
4	PLB04	345	185
6	PLB06	399	239
8	PLB08	453	293
10	PLB10	547	347
12	PLB12	601	401
14	PLB14	655	455

For the push buttons designation and symbols please see pag. 20-21
Push buttons colours:

- Black and White
- Start/Alarm Green
- Emergency Red

■ For the push buttons designation and symbols please see pag. 20-21

Pendant stations

For control and direct switching power circuits
Accessories




TECHNO-LIFTING EQUIPMENT

CONTACT BLOCKS



1 NC	PL004001
1 NO	PL004002

MULTI-SPEED CONTACT BLOCKS



A 2 VEL. NO+NO 1NO+1NO	PL004010
---------------------------	----------

LAMP HOLDERS



BA9s	PL004007
------	----------

LENS CAP



1 2	PL00800.
3 4 5	

KEY SWITCH



0-1	PL006001
1-0-2	PL006002

ROTARY SWITCH



0-1	PL007001
1-0-2	PL007002

MUSHROOM OPERATOR Ø 30 TURN TO RELEASE EN ISO 13850



WITH VISION	PL013001
STANDARD	PL013002

MUSHROOM OPERATOR Ø 40



PL013003

PUSH BUTTON

COLOUR	CODE
	PL005034
	PL005035
	PL005036
	PL005037
	PL005038
With engraving	PL0050...*

* See pag. 21



COUPLING PLATE



2 HOLES	PL003001
3 HOLES	PL003002

INTERLOCK



TOP	PL011001
BOTTOM	PL011002

CABLE CLAMP LEVER



PL012001

CABLE SLEEVE

VERSION	CODE
P02 - PTRM For cable Ø 7...14	12906011
P03 - PLO5 For cable Ø 7...18	12906006
PL07...PL12 PLB04-PLB06 For cable Ø 9...21	12906004
PLB08-PLB14 For cable Ø 12...24	12906005



Pendant stations

PL-PLB Series for control and direct switching power circuit Composition

PL SERIES STANDARD VERSIONS			PL07	PL08	PL08D2	PL08D4	PL08D6	PL10	PL12
			STOP	START	START	START	START	START	START
PL05	PL05D2	PL05D4	ALARM	ALARM	ALARM	ALARM	ALARM	ALARM	ALARM
STOP	STOP	STOP	LIFT	STOP	STOP	STOP	STOP	STOP	STOP
LIFT	1-2 SPEED LIFT	1-2 SPEED LIFT	LIFT	LIFT	LIFT	1-2 SPEED LIFT	1-2 SPEED LIFT	LIFT	LIFT
LIFT	1-2 SPEED LIFT	1-2 SPEED LIFT	O/H CRANE	LIFT	LIFT	1-2 SPEED LIFT	1-2 SPEED LIFT	LIFT	LIFT
HOIST	HOIST	1-2 SPEED HOIST	O/H CRANE	O/H CRANE	O/H CRANE	1-2 SPEED O/H CRANE	1-2 SPEED O/H CRANE	O/H CRANE	LIFT
HOIST	HOIST	1-2 SPEED HOIST	HOIST	HOIST	HOIST	1-2 SPEED HOIST	1-2 SPEED HOIST	O/H CRANE	LIFT
			HOIST	HOIST	HOIST	HOIST	1-2 SPEED HOIST	O/H CRANE	O/H CRANE
			HOIST	HOIST	HOIST	HOIST	1-2 SPEED HOIST	O/H CRANE	O/H CRANE

PLB SERIES STANDARD VERSIONS		PLB04	PLB04D2	PLB06D4	PLB08D4	PLB06	PLB06D2	PLB12	PLB14	PLB08	PLB08D2	PLB08D6	PLB10
START	STOP	START	STOP	START	STOP	START	STOP	START	STOP	START	STOP	START	STOP
LIFT	LIFT	1-2 SPEED LIFT	1-2 SPEED LIFT	1-2 SPEED	1-2 SPEED	LIFT	LIFT	1-2 SPEED O/H CRANE	1-2 SPEED O/H CRANE	1-2 SPEED LIFT	1-2 SPEED LIFT	1-2 SPEED O/H CRANE	1-2 SPEED O/H CRANE
LIFT	LIFT	START	STOP	START	STOP	LIFT	LIFT	START	STOP	START	STOP	START	STOP
O/H CRANE	O/H CRANE	1-2 SPEED O/H CRANE	1-2 SPEED O/H CRANE	1-2 SPEED O/H CRANE	1-2 SPEED O/H CRANE	O/H CRANE	O/H CRANE	1-2 SPEED O/H CRANE	1-2 SPEED O/H CRANE	O/H CRANE	O/H CRANE	O/H CRANE	O/H CRANE
HOIST	HOIST	HOIST	HOIST	HOIST	HOIST	HOIST	HOIST	HOIST	HOIST	HOIST	HOIST	HOIST	HOIST
HOIST	HOIST	HOIST	HOIST	HOIST	HOIST	HOIST	HOIST	HOIST	HOIST	HOIST	HOIST	HOIST	HOIST
HOIST	HOIST	HOIST	HOIST	HOIST	HOIST	HOIST	HOIST	HOIST	HOIST	HOIST	HOIST	HOIST	HOIST

Pendant stations

P02-P03-PL-PLB Series for auxiliares power circuits
Engravings push button



TECHNO-LIFTING EQUIPMENT



PUSH BUTTONS WITH SIMBOLS FEM 9.941 Standard

UP	DOWN	FORWARD	REVERSE	LEFT	RIGHT	SPIN LEFT	SPIN RIGHT	GREEN START	GREEN START ALARM
PL005004	PL005019	PL005012	PL005027	PL005023	PL005008	PL005031	PL005016	PL005001	PL005002
PL005005	PL005020	PL005013	PL005028	PL005024	PL005009	PL005032	PL005017	PL005003	PL005034
PL005006	PL005021	PL005014	PL005029	PL005025	PL005010	PL005033	PL005018	PL005035	PL005036
PL005007	PL005022	PL005015	PL005030	PL005026	PL005011			PL005037	PL005038

LASER ENGRAVING: Optional engravings can be made to order according to special customer specification (min. quantity applies)